

Body Check Services 體檢服務

Colonoscopy & Gastroscopy

大腸及胃內視鏡檢查 (腸胃鏡)

食道胃十二指腸 內視鏡檢查 (胃鏡)

利用一條柔軟而可彎曲的管狀鏡頭由口腔進入食道、胃及十二指腸 (上消化道) 進行檢查。醫生可透過螢光幕觀察上消化道內的狀況或病變，如腫瘤、潰瘍或瘰肉等。有需要時，醫生會抽取病變組織進行化驗、止血、或切除瘰肉。病理化驗更可檢驗有否幽門螺旋菌，及早治療。

我需要接受胃鏡檢查嗎？

常見上消化道內視鏡檢查適應症：

- 經常胃痛 / 胃脹不適 / 胃灼熱
- 不明原因貧血或腸胃出血
- 噁心、嘔吐或吞嚥困難
- 懷疑有瘰肉、腫瘤問題

檢查前注意事項：

1. 檢查可於門診或醫院進行，可以選擇局部或監察麻醉下進行。
2. 術前六小時禁止飲食。
3. 如懷疑或已經懷孕，必須於檢查前通知醫生。
4. 請把現正服用的藥物告知醫生，尤其是糖尿藥物或影響血液凝固的藥物。

結直腸內視鏡 檢查 (腸鏡)

利用一條柔軟而可彎曲的管狀鏡頭由肛門進入直腸，經乙狀結腸、降結腸、橫結腸、升結腸直至盲腸部位進行檢查。醫生可透過螢光幕觀察腸內的狀況或病變，如腫瘤、潰瘍或瘰肉等，有需要時，醫生會抽取病變組織進行化驗，止血或切除瘰肉。大腸內視鏡是現時最有效，能同時進行檢查和切除大腸瘰肉的治療方法。

我需要接受腸鏡檢查嗎？

常見腸鏡檢查適應症：

- 不明原因腹痛
- 大便有血
- 排便習慣改變 (腹瀉或便秘)
- 有大腸癌家族史
- 大腸癌篩查

檢查前注意事項：

1. 檢查前須先將腸道完全清潔，避免糞便阻礙觀察大腸情況；檢查可於門診或醫院進行，可選擇局部或監察麻醉下進行。請按醫生處方服食瀉藥。
2. 術前六小時禁止飲食。
3. 如懷疑或已經懷孕，必須於檢查前通知醫生。
4. 請把現正服用的藥物告知醫生，尤其是糖尿藥物或影響血液凝固的藥物。

大腸及胃鏡檢查 (包含瘰肉及活組織抽取)

* 港幣 \$23,800

痔瘡橡皮圈結紮術 (如需要)

* 港幣 \$3,500

如需監察麻醉，另加費用

* 港幣 \$5,000

* 註：以上價錢只供參考，楷和醫療集團有權定期更新收費表，如有任何疑問，可與本診所職員聯絡。

聯絡我們

香港中環皇后大道中9號26樓
2601-04 & 06-08室
電話 Tel : (852) 2530-0006

楷和醫療集團 (尖沙咀專科中心)
九龍尖沙咀河內道5號
普基商業中心2樓
電話 Tel : (852) 2157-3840

網址 Web : <https://chiron.care/>
電郵 E-mail : healthcheck@chiron.care



Facebook



WhatsApp



微信

Body Check Services 体检服务

Colonoscopy & Gastroscopy

大肠及胃内视镜检查 (肠胃镜)

利用一条柔软而可弯曲的管状镜头由口腔进入食道、胃及十二指肠 (上消化道) 进行检查。医生可透过萤光幕观察上消化道内的状况或病变，如肿瘤、溃疡或息肉等。有需要时，医生会抽取病变组织进行化验、止血、或切除息肉。病理化验更可检验有否幽门螺旋菌，及早治疗。

食道胃十二指肠 内视镜检查 (胃镜)

我需要接受胃镜检查吗？

常见上消化道内视镜检查适应症：

- 经常胃痛 / 胃胀不适 / 胃灼热
- 恶心、呕吐或吞咽困难
- 不明原因贫血或肠胃出血
- 怀疑有息肉、肿瘤问题

检查前注意事项：

1. 检查可于门诊或医院进行，可以选择局部或监察麻醉下进行。
2. 术前六小时禁止饮食。
3. 如怀疑或已经怀孕，必须于检查前通知医生。
4. 请把现正服用的药物告知医生，尤其是糖尿药物或影响血液凝固的药物。

结直肠内视镜 检查 (肠镜)

利用一条柔软而可弯曲的管状镜头由肛门进入直肠，经乙状结肠、降结肠、横结肠、升结肠直至盲肠部位进行检查。医生可透过萤光幕观察肠内的状况或病变，如肿瘤、溃疡或息肉等，有需要时，医生会抽取病变组织进行化验，止血或切除息肉。大肠内视镜是现时最有效，能同时进行检查和切除大肠息肉的治疗方法。

我需要接受肠镜检查吗？

常见肠镜检查适应症：

- 不明原因腹痛
- 有大肠癌家族史
- 大便带血
- 大肠癌筛查
- 排便习惯改变 (腹泻或便秘)

检查前注意事项：

1. 检查前须先将肠道完全清洁，避免粪便阻碍观察大肠情况；检查可于门诊或医院进行，可选择局部或监察麻醉下进行。请按医生处方服食泻药。
2. 术前六小时禁止饮食。
3. 如怀疑或已经怀孕，必须于检查前通知医生。
4. 请把现正服用的药物告知医生，尤其是糖尿药物或影响血液凝固的药物。

大肠及胃镜检查 (包含息肉及活组织抽取)

*港币\$23,800

痔疮橡皮圈结扎术 (如需要)

*港币\$3,500

如需监察麻醉，另加费用

*港币\$5,000

* 注：以上价钱只供参考，楷和医疗集团有权定期更新收费表，如有任何疑问，可与本诊所职员联络。

联络我们

香港中环皇后大道中9号26楼
2601-04 & 06-08室
电话 Tel : (852) 2530-0006

楷和医疗集团 (尖沙咀专科中心)
九龙尖沙咀河内道5号
普基商业中心2楼
电话 Tel : (852) 2157-3840

网址 Web : <https://chiron.care/>
电邮 E-mail : healthcheck@chiron.care



Facebook



WhatsApp



微信

Body Check Services 體檢服務

Colonoscopy & Gastroscopy

大腸及胃內視鏡檢查 (腸胃鏡)

Gastroscopy

This is an examination of your oesophagus, stomach and the first part of your small bowel called the duodenum. Our doctor will use a gastroscope, flexible and has a diameter less than that of a little finger, to examine you. During the investigation, the doctor may need to take some tissue samples (biopsies) from the lining of your upper digestive tract for analysis: this is painless. The samples will be retained for examination under microscopy. It can help to examine for disease of the stomach such as ulcers, bleeding, tumors and Helicobacter pylori infections.

Do I need Gastroscopy?

Common causes for doing Gastroscopy are:

- Abdominal pain, indigestion, heartburn
- Anaemia
- Vomiting, difficulty swallowing
- Suspected of having polyp or tumor

Preparing for Gastroscopy:

1. The gastroscopy could be done in endoscopy centres or in hospitals, and could select under local anesthesia or monitored anesthetic care.
2. Patient is required not to eat anything at least 6 hours before the test.
3. You must let the doctor know if there is a chance that you might be pregnant.
4. You should also inform the doctor of the drugs that you are on, especially drugs that affect your blood glucose levels and clotting.

Colonoscopy

During a colonoscopy, the doctor uses a colonoscope, a long, flexible, tubular instrument about 1cm in diameter that transmits an image of the lining of the colon so the doctor can examine the whole large intestine from rectum to sigmoid colon to the junctions of the small intestine for any abnormalities such as polyps, bleeding, tumors etc. The colonoscope is inserted through the rectum. If the doctor sees something that may be abnormal, small amounts of tissue can be removed for analysis (called a biopsy), and abnormal growths, or polyps, can be identified and removed. In many cases, colonoscopy allows accurate diagnosis and treatment without the need for a major operation.

Do I need Colonoscopy?

Common causes for doing Colonoscopy are:

- Unexplained abdominal pain
- Blood in stools
- Change in bowel habits
- Family history of colorectal cancer
- Screening for colorectal cancer

Preparing for Colonoscopy :

1. Your bowel must be cleansed in order for colonoscopy to be successful. The Colonoscopy could be done in endoscopy centres or in hospitals, and could select under local anesthesia or monitored anesthetic care. You may also be asked to take laxatives by mouth.
2. Patient is required not to eat anything at least 6 hours before the test.
3. You must let the doctor know if there is a chance that you might be pregnant.
4. You should also inform the doctor of the drugs that you are on, especially drugs that affect your blood glucose levels and clotting.

Colonoscopy & Gastroscopy (with Polyps & Biopsy)

* HK\$23,800

Haemorrhoid Banding if required

* HK\$3,500

Monitored Anaesthetic Care (MAC), additional

* HK\$5,000

* All prices are for reference only, Chiron Medical might update the fees from time to time. For any enquiries, please contact our clinic staff.

Contact us

Chiron Medical (Tsim Sha Tsui Specialist Centre)

Room 2601-04 & 06-08, 26/F,
9 Queen's Road Central,
Central, Hong Kong

2nd Floor, Podium Plaza,
No.5 Hanoi Road,
Tsim Sha Tsui, Kowloon

Website : <http://chiron.care/en>
Email : healthcheck@chiron.care

Phone : (852) 2530-0006

Phone : (852) 2157-3840



Facebook



WhatsApp



Wechat