

Sleep Apnea Assessment (Home Sleep Study) 睡眠窒息測試

睡眠窒息症是一種常見的睡眠障礙疾病。患者會在睡眠時出現呼吸停頓或呼吸流量減少的現象。根據資料顯示，超過4%中年男士及2%中年女士患有睡眠窒息症；而小朋友若有扁桃腺肥大等結構問題，也可能有此症。

睡眠測試是一種簡單而有效測試有否患有睡眠窒息症的常用檢查。參加者透過多頻道睡眠分析儀，錄取睡眠時的各種生理狀態例如呼吸流量、心跳、眼球轉動、睡眠姿勢及血含氧量等等資料。結果會由專科醫生分析，從而得知是否患有睡眠窒息以及跟進處理方法。

我需要接受睡眠窒息檢查嗎？

常見睡眠窒息檢查適應症：

- 嚴重鼻鼾
- 記憶力減退
- 人際關係變差
- 睡眠間中呼吸停頓
- 影響情緒，精神難以集中
- 日間常常感覺疲倦、有睡意，或容易打瞌睡
- 容易患上心血管疾病，例如中風、糖尿病、高血壓

套餐收費包括：

1. 家中睡眠窒息測試 (Home Sleep Study)
2. 鼻咽喉內視鏡 (Nasolaryngoscopy)
3. 耳鼻喉專科醫生諮詢服務一次

* 註：以上價錢只供參考，楷和醫療集團有權定期更新收費表，如有任何疑問，可與本診所職員聯絡。

* HKD \$9,800

聯絡我們

香港中環皇后大道中9號26樓
2601-04 & 06-08室
電話 Tel : (852) 2530-0006

九龍尖沙咀河內道5號
普基商業中心2樓
電話 Tel : (852) 2157-3840

網址 Web : <https://chiron.care/>
電郵 E-mail : healthcheck@chiron.care



Facebook



WhatsApp



微信

Sleep Apnea Assessment (Home Sleep Study) 睡眠窒息测试

睡眠窒息症是一种常见的睡眠障碍疾病。患者会在睡眠时出现呼吸停顿或呼吸流量减少的现象。根据资料显示，超过4%中年男士及2%中年女士患有睡眠窒息症；而小朋友若有扁桃腺肥大等结构问题，也可能有此症。

睡眠测试是一种简单而有效测试有否患有睡眠窒息症的常用检查。参加者透过多频道睡眠分析仪，录取睡眠时的各种生理状态例如呼吸流量、心跳、眼球转动、睡眠姿势及血含氧量等等资料。结果会由专科医生分析，从而得知是否患有睡眠窒息以及跟进处理方法。

我需要接受睡眠窒息检查吗？

常见睡眠窒息检查适应症：

- 严重鼻鼾
- 记忆力减退
- 人际关系变差
- 睡眠间中呼吸停顿
- 影响情绪，精神难以集中
- 日间常常感觉疲倦、有睡意，或容易打瞌睡
- 容易患上心血管疾病，例如中风、糖尿病、高血压

套餐收费包括：

1. 家中睡眠窒息测试 (Home Sleep Study)
2. 鼻咽喉内视镜 (Nasolaryngoscopy)
3. 耳鼻喉专科医生咨询服务一次

* 注：以上价钱只供参考，楷和医疗集团有权定期更新收费表，如有任何疑问，可与本诊所职员联络。

* HKD \$9,800

联络我们

香港中环皇后大道中9号26楼
2601-04 & 06-08室
电话 Tel : (852) 2530-0006

九龙尖沙咀咀河内道5号
普基商业中心2楼
电话 Tel : (852) 2157-3840

网址 Web : <https://chiron.care/>
电邮 E-mail : healthcheck@chiron.care



Facebook



WhatsApp



微信

Sleep Apnea Assessment (Home Sleep Study) 睡眠窒息測試

Obstructive sleep apnea is a common sleep disorder. It is characterized by reduction or cessation of breathing during sleep. It occurs in about 2% of female and 4% of male population in adults. It can also occur in children, tonsillar and adenoid hypertrophy are the most common cause.

Sleep study (Polysomnography) is the gold standard for diagnosis of sleep apnea. It measures several parameters including airflow, brain activities, heart activities, oxygen level in blood, limbs movement, eyeballs movement, body position etc during sleep. It is analyzed and reported by our specialists and individualized treatment is recommended accordingly.

Do I need Sleep Apnea Assessment?

Common causes for doing Sleep Apnea Assessment are:

- Snoring
- Cognitive impairment
- Interpersonal relationship is getting worse
- Cessation of breathing during sleep
- Change in temper, Poor concentration at daytime
- Excessive daytime sleepiness
- Increase risk of having heart, blood vessels diseases

Package includes:

1. Home Sleep Study
2. Nasolaryngoscopy
3. One consultation by ENT specialist

* Prices are for reference only, Chiron Medical might update the fees from time to time.
For any enquiry, please contact our clinic staff.

* HKD \$9,800

Contact us

Room 2601-04 & 06-08, 26/F,
9 Queen's Road Central,
Central, Hong Kong

Phone : (852) 2530-0006

2nd Floor, Podium Plaza,
No.5 Hanoi Road,
Tsim Sha Tsui, Kowloon

Phone : (852) 2157-3840

Website : <http://chiron.care/en>
Email : healthcheck@chiron.care



Facebook



WhatsApp



Wechat